


Print Smarter And Work Better In Every Way, Anywhere

Regain control over your printing
with Equitrac print solutions



Absolute Security

Versatile Card Reader

With the Equitrac Card Reader, one card does it all. Using just your own card, you can simply scan to access, manipulate and print from any MFD located in any department or building within the organisation. This directly does away with the need to replace or standardise cards used by different groups of users and helps save on time and costs.

The Equitrac Card Reader can easily be fitted onto any Fuji Xerox MFD, with no additional terminals or accessories needed – just fix, swipe, and enjoy secure printing across the board.

Secure Document Technology

In most businesses, security is usually a top priority. Equitrac makes use of Secure Document Technology, which utilises existing authentication to guard access to any MFD. You can only unlock a MFD by one of the following means:

- enter a PIN code on the MFD display
- enter a network user ID/password on the MFD display
- scan an ID card using optional magnetic card/contactless readers

Exceptional Mobility

Follow You Printing

With the level of security offered by Equitrac comes a new level of printing mobility. As access is guarded by the card reader, you can safely choose to use any MFD across different floors, buildings and departments. All you have to do is swipe your card to authenticate your identity at any MFD to start printing, while instantly recovering all details about your print jobs including even the costs.

You can move among different buildings and floors, avoiding devices that are busy or out of service thus saving on time. Wherever you choose to print, there's never any fear of a security lapse – every printout will only be seen by the right eyes.


Convenient Printing Anywhere

- Simply pick any available MFD and select the documents you sent for printing
- Choose to print one document at a time, delete jobs, or select all jobs to print



Mobile Print Solution

Printing on the move is easier than ever – Mobile Print Integration allows you to send a printing job on your smartphone via a webpage, apps or e-mail. The job is then sent to a secure central depository, and all you have to do is go to the nearest available MFD, flash your card, and press print.



Mobile Print

Equitrac System Requirements

Management Tools	Software Platforms			Minimum Hardware
Core Accounting Server (CAS) Device Control Engine (DCE) Device Monitoring Engine (DME)	<ul style="list-style-type: none"> Windows Server 2008 (x86 or x64) Windows Server 2008 R2 (x64) Windows Server 2012 (x64) Windows Small Business Server 2011 Essentials/Standard 			<ul style="list-style-type: none"> Processor: 2 GHz or greater Memory: 2 GB or greater Hard disk: 1 GB or greater
Core Accounting Server (CAS) – Database	<ul style="list-style-type: none"> Microsoft SQL Server 2008, 2008 R2, 2012 Microsoft SQL Server 2008 Express, 2008 R2 Express, 2012 Express Oracle® 11 g, 11 g R2 			<ul style="list-style-type: none"> Processor: 2 GHz or greater Memory: 2 GB or greater Hard disk: 1 GB or greater Hard disk: 2.2 GB required for SQL Server 2012
Document Routing Engine (DRE) Print Server – with Rules and Routing or Secure Document Release	<ul style="list-style-type: none"> Windows Server 2008 (x86 or x64), 2008 R2 (x64), 2012 (x64) Windows Small Business Server 2011 Essentials/Standard SUSE Linux 10 SP4 OES2 SP3 iPrint(x86, x64) 			<ul style="list-style-type: none"> Processor: 2 GHz or greater Memory: 2 GB or greater Hard disk: 1 GB or greater + allocation for print jobs
Client Tools	Software Platforms			Minimum Hardware
Workstation Client	<ul style="list-style-type: none"> Windows Vista business/Enterprise/Ultimate (x86, x64) Windows 7 Professional/Enterprise/Ultimate (x86, x64) Windows 8 Professional/Enterprise (x86, x64) Citrix® /Terminal Server Macintosh OS 10.4 to 10.8 			<ul style="list-style-type: none"> Processor: 2 GHz or greater Memory: 2 GB or greater Hard disk: 50MB or greater
Type of Card Reader	Magnetic stripe	Mifare	Legic	HID
Supported Standard Cards	ISO 7813	<ul style="list-style-type: none"> Mifare Mifare 4K Mifare DESFire ISO 14443A/B HID iCLASS 	<ul style="list-style-type: none"> Legic prime Legic advant 	<ul style="list-style-type: none"> HID MicroProx Tag HID ProxPass HID ISOProx HID DuoProx HID ProxCard HID ProxCard Plus HID ProxKey

Fuji Xerox Devices

- | | | |
|--|---|--|
| <ul style="list-style-type: none"> ApeosPort-V C7775, C6675, C5575, C4475, C3373, C3375, C2275 ApeosPort-V C7780, C6680, C5580 ApeosPort IV C5580, C6680, C7780 ApeosPort IV C5575, C4475, C3375, C2275 ApeosPort IV C2270, C3370, C3371 ApeosPort IV C4470, C5570 | <ul style="list-style-type: none"> ApeosPort IV C4430 ApeosPort IV C3373 ApeosPort IV C2270, C3370, C3371 ApeosPort IV 6080, 7080 ApeosPort IV 5070, 4070, 3070 ApeosPort III C2200, C2201, C3300, C4400 ApeosPort II C5400, C5500, C6500, C7500 | <ul style="list-style-type: none"> ApeosPort II 3000, 4000, 5010 ApeosPort II 6000, 7000 ApeosPort C2200, C3300, C4300 ApeosPort C5540, C6550, C7550 Color 550, 560, 570 Printer D95, D110 and D125 Copier/Printer Color C75, J75 Press |
|--|---|--|

For more information or detailed product specifications, please call or visit us at

Fuji Xerox Australia Pty Ltd. ABN 63 000 341 819.
Australian Head Office: 101 Waterloo Rd, Macquarie Park NSW 2113.
Phone (02) 9856 5000 Fax (02) 9856 5003

13 14 12
www.fujixerox.com.au

