



**Black & White Devices**

○:Supported    △:May be supported depending on the controller software version used in a multifunction device    ×:Not Supported

Model Name	Device Management							Authentication Management					Log Management			Print Management						Flow Management				Cost Management <sup>231</sup>									
	Monitor Status <sup>11</sup>	User Information/Account Limit	Folder	Address Book	Device Menu		Remote Power Off	Custom Authentication <sup>25</sup>	Login/Account Limit	Secondary Server	Multiple User IDs	User Registration	Fuji Xerox Direct Federation	Collect Job Log	Usage Status Display Service	Electricity/Paper Usage	Output	Guest Print	Web/E-Mail Print	Follow Me Print	Authentication Control		Print Rule	Folder	Web Applications Linkage	Print <sup>16</sup>	Fax <sup>16</sup>	Simple Flow feature (Scan & Connect)	Usage Management by Cost	Force stop when minimum balance is reached	Charging system				
					External Access <sup>25</sup>	ApeosWare Menu <sup>25</sup>															Device connection	Network connection													
<b>ApeosPort</b>																																			
ApeosPort-V 3065/3060/2060	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
ApeosPort-V 7080 N / 6080 N	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
ApeosPort-V 7080/6080	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
ApeosPort-V 5070/4070	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
ApeosPort-V 4020	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
ApeosPort-IV 3065/3060/2060	○	○	○	○	○	○	×	×	○	○	○	○	×	○	○	○	○	○	○	○	○	○	×	○	○	○	○	○	○	○	○	○	○	○	○
ApeosPort-IV 7080/6080	○	○	○	○	○	○	×	○	○	○	○	○	×	○	○	○	○	○	○	○	○	○	×	○	○	○	○	○	○	○	○	○	○	○	○
ApeosPort-IV 5070/4070/3070	○	○	○	○	○	○	×	×	○	○	○	○	×	○	○	○	○	○	○	○	○	○	×	○	○	○	○	○	○	○	○	○	○	○	○
ApeosPort-II 7000/6000	○	○	○	○	○	×	×	×	×	△ <sup>16</sup>	×	×	×	○	×	×	○	×	×	×	○	×	○	○	○	○	○	○	○	○	○	○	○	○	○
ApeosPort-II 5010/4000/3000	○	○	○	○	○	×	×	×	×	△ <sup>17</sup>	×	×	×	○	×	×	○	×	×	×	×	×	○	○	○	○	○	○	○	○	○	○	○	○	○
<b>DocuCentre</b>																																			
DocuCentre-V 3065/3060/2060	○	○	○	○	×	×	○	×	×	×	×	×	×	○	×	○	○	×	○	×	×	×	○	○	×	○	○	×	○	○	○	○	○	○	○
DocuCentre-V 7080 N / 6080 N	○	○	○	○	×	×	○	×	×	×	×	×	×	○	×	○	○	×	○	×	×	×	○	○	×	○	○	×	○	○	○	○	○	○	○
DocuCentre-V 7080/6080	○	○	○	○	×	×	○	×	×	×	×	×	×	○	×	○	○	×	○	×	×	×	○	○	×	○	○	×	○	○	○	○	○	○	○
DocuCentre-V 5070/4070	○	○	○	○	×	×	○	×	×	×	×	×	×	○	×	○	○	×	○	×	×	×	○	○	×	○	○	×	○	○	○	○	○	○	○
DocuCentre-IV 7080/6080	○	○	○	○	×	×	×	×	×	×	×	×	×	○	×	○	○	×	○	×	×	×	○	○	×	○	○	×	○	○	○	○	○	○	○
DocuCentre-IV 5070/4070	○	○	○	○	×	×	×	×	×	×	×	×	×	○	×	○	○	×	○	×	×	×	○	○	×	○	○	×	○	○	○	○	○	○	○
DocuCentre-IV 3065/3060/2060 <sup>111</sup>	○	○	○	○	×	×	×	×	×	×	×	×	×	○	×	○	○	×	○	×	×	×	○	○	×	○	○	×	○	○	○	○	○	○	○
DocuCentre-III 3007/2007	○	○	○	○	×	×	×	×	×	×	×	×	×	○	×	×	○	×	×	×	×	×	○	○	×	○	○	×	○	○	○	○	○	○	○
DocuCentre-II 7000/6000	○	○	○	○	×	×	×	×	×	×	×	×	×	○	×	×	○	×	×	×	×	×	○	○	○	○	○	○	○	○	○	○	○	○	○
DocuCentre-II 5010/4000	○	○	○	○	×	×	×	×	×	×	×	×	×	○	×	×	○	×	×	×	×	×	○	○	○	○	○	○	○	○	○	○	○	○	○
DocuCentre-II 3005/2055/2005	○	○	○	○	×	×	×	×	×	×	×	×	×	○	×	×	○	×	×	×	×	×	○	○	○	○	○	○	○	○	○	○	○	○	○
DocuCentre 2058/2056	○	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×
DocuCentre S2010/S1810	○	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×
DocuCentre S2110	○	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×

**Production/Wide Format**

○:Supported    △:May be supported depending on the controller software version used in a multifunction device    ×:Not Supported

Model Name	Device Management							Authentication Management					Log Management			Print Management						Flow Management				Cost Management <sup>231</sup>										
	Monitor Status <sup>11</sup>	User Information/Account Limit	Folder	Address Book	Device Menu		Remote Power Off	Custom Authentication <sup>25</sup>	Login/Account Limit	Secondary Server	Multiple User IDs	User Registration	Fuji Xerox Direct Federation	Collect Job Log	Usage Status Display Service	Electricity/Paper Usage	Output	Guest Print	Web/E-Mail Print	Follow Me Print	Authentication Control		Print Rule	Folder	Web Applications Linkage	Print <sup>16</sup>	Fax <sup>16</sup>	Simple Flow feature (Scan & Connect)	Usage Management by Cost	Force stop when minimum balance is reached	Charging system					
					External Access <sup>25</sup>	ApeosWare Menu <sup>25</sup>															Device connection	Network connection														
<b>Production Color</b>																																				
PrimeLink C9070 Printer	○	○	○	○	○	○	○	○	○	○	○	×	○	○	×	○ <sup>21</sup>	○ <sup>21</sup>	○ <sup>21</sup>	○ <sup>21</sup>	○ <sup>21</sup>	×	○ <sup>21</sup>	○	○	○	×	×	○	○	×	×	×				
PrimeLink C9065 Printer	○	○	○	○	×	×	×	○	○	○	×	×	○	×	○	×	○	×	×	×	×	×	○	×	×	×	×	○	○	×	×	×	×	×		
DocuColor 1450 GA <sup>10</sup>	○	○	○	○	×	×	×	○	○	○	×	×	○	×	○	×	○	×	×	×	×	×	○	×	×	×	×	○	○	×	×	×	×	×		
Versant 80 Press	○	○	○	○	○	○	○	○	○	○	○	×	○	○	○	○ <sup>21</sup>	○ <sup>21</sup>	○ <sup>21</sup>	○ <sup>21</sup>	○ <sup>21</sup>	×	○ <sup>21</sup>	×	×	×	×	×	○	○	×	×	×	×	×		
Versant 180 Press	○	○	○	○	○	○	○	○	○	○	○	×	○	○	○	○ <sup>21</sup>	○ <sup>21</sup>	○ <sup>21</sup>	○ <sup>21</sup>	○ <sup>21</sup>	×	○ <sup>21</sup>	×	×	×	×	×	○	○	×	×	×	×	×		
Color C60/C70	○	○	○	○	○	○	○	○	○	○	○	×	○	○	○	○ <sup>21</sup>	○ <sup>21</sup>	○ <sup>21</sup>	○ <sup>21</sup>	○ <sup>21</sup>	×	○ <sup>21</sup>	×	×	×	×	×	○	○	×	×	×	×	×		
Color 560/550	○	○	○	○	○	×	×	×	○	○	○	×	○	×	○	×	×	×	×	×	×	×	×	×	×	×	×	○	○	×	×	×	×	×	×	
Color C75 Press	○	○	○	○	○	○	×	○	○	○	○	×	○	○	○	×	×	×	×	×	×	×	×	×	×	×	×	○	○	×	×	×	×	×	×	
Color J75 Press	○	○	○	○	○	○	×	○	○	○	○	×	○	○	○	×	×	×	×	×	×	×	×	×	×	×	×	○	○	×	×	×	×	×	×	
<b>Production Black &amp; White</b>																																				
D136 Light Publisher	○	○	○	○	○	○	×	×	○	○	○	○	×	○	○	○	○	○	○	○	○	×	○	○	○	○	○	○	○	○	○	○	○	○	○	
D125/D110/D95 Light Publisher	○	○	○	○	○	○	×	×	○	○	○	○	×	○	○	○	○	○	○	○	○	×	○	○	○	○	○	○	○	○	○	○	○	○	○	
B9136/B9125/B9110/B9100 Copier/Printer	○	○	○	○	○	○	○	○	○	○	○	×	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
4112/4127 Light Publisher	○	○	○	○	○	×	×	×	△ <sup>16</sup>	△ <sup>16</sup>	×	○	×	○	×	×	○	○	○	○	○	×	○	○	○	○	○	○	○	○	○	○	○	○	○	○
<b>Wide Format</b>																																				
DocuWide 6057/3037	○	×	○	×	×	×	×	×	○	○	○	×	×	○	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	
DocuWide 6055/6035 <sup>117</sup>	○	×	○	×	×	×	×	×	○	○	○	×	×	×	×	○	×	×	×	×	○	×	×	×	×	×	×	×	×	×	×	×	×	×	×	
DocuWide 3035	○	×	○	×	×	×	×	×	○	○	○	×	×	○	×	×	○	×	×	×	×	○	×	×	×	×	×	×	×	×	×	×	×	×	×	×

Printers

○:Supported △:May be supported depending on the controller software version used in a multifunction device ×:Not Supported

Model Name	Device Management							Authentication Management					Log Management			Print Management						Flow Management				Simple Flow feature (Scan & Connect)			Cost Management <sup>231</sup>											
	Monitor Status <sup>11</sup>	User Information/ Account Limit	Folder	Address Book	Device Menu		Remote Power Off	Custom Authentication <sup>25</sup>	Login/ Account Limit	Secondary Server	Multiple User IDs	User Registration	Fuji Xerox Direct Federation	Collect Job Log	Usage Status Display Service	Electricity/ Paper Usage	Output	Guest Print	Web/E-Mail Print	Follow Me Print	Authentication Control		Print Rule	Folder	Web Applications Linkage	Print <sup>16</sup>	Fax <sup>16</sup>	Simple Flow feature (Scan & Connect)	Usage Management by Cost	Force stop when minimum balance is reached	Charging system									
					External Access <sup>25</sup>	ApeosWare Menu <sup>25</sup>															Device connection	Network connection																		
<b>Color Laser Printers</b>																																								
DocuPrint CM415 AP	○	○	○	○	○	○	○	○	○	○	○	○	×	○	○	○	○	○	○	○	○	×	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	×
DocuPrint CM505 da	○	○	○	○	×	×	×	×	○	○	○	×	×	○	×	×	○	×	○	×	×	×	○	○	×	○	○	×	○ <sup>24</sup>	○ <sup>25</sup>	×	○ <sup>24</sup>	○ <sup>25</sup>	×	○ <sup>24</sup>	○ <sup>25</sup>	×			
DocuPrint C5155 d	○	○	×	×	×	×	×	×	○	○	○	×	×	○	×	×	○	×	○	×	○	×	○	×	×	○	×	×	○ <sup>24</sup>	○ <sup>25</sup>	×	○ <sup>24</sup>	○ <sup>25</sup>	×	○ <sup>24</sup>	○ <sup>25</sup>	×			
DocuPrint C5005 d	○	○	×	×	×	×	×	×	○	○	○	×	×	○	×	○	○	×	○	×	○	×	○	×	×	○	×	×	○ <sup>24</sup>	○ <sup>25</sup>	×	○ <sup>24</sup>	○ <sup>25</sup>	×	○ <sup>24</sup>	○ <sup>25</sup>	×			
DocuPrint C2255	○	×	×	×	×	×	×	×	△ <sup>19</sup>	△ <sup>19</sup>	×	×	×	○	×	×	○	×	×	×	○	×	○	×	×	○	×	×	○ <sup>24</sup>	○ <sup>25</sup>	×	○ <sup>24</sup>	○ <sup>25</sup>	×	○ <sup>24</sup>	○ <sup>25</sup>	×			
DocuPrint CM405 df	○	×	×	×	×	×	×	×	×	×	×	×	×	○	×	×	○	×	×	×	×	○	○	×	×	×	×	○ <sup>24</sup>	○ <sup>25</sup>	×	○ <sup>24</sup>	○ <sup>25</sup>	×	○ <sup>24</sup>	○ <sup>25</sup>	×				
DocuPrint CP405 d	○	×	×	×	×	×	×	×	×	×	×	×	×	○	×	×	○	×	×	×	×	○	○	×	×	×	×	○ <sup>24</sup>	○ <sup>25</sup>	×	○ <sup>24</sup>	○ <sup>25</sup>	×	○ <sup>24</sup>	○ <sup>25</sup>	×				
DocuPrint CM305 df	○	×	×	×	×	×	×	×	×	×	×	×	×	○	×	×	×	×	×	×	×	×	×	×	×	×	×	○ <sup>24</sup>	×	×	○ <sup>24</sup>	×	×	○ <sup>24</sup>	×	×				
DocuPrint CP305 d	○	×	×	×	×	×	×	×	×	×	×	×	×	○	×	×	×	×	×	×	×	×	×	×	×	×	×	○ <sup>24</sup>	×	×	○ <sup>24</sup>	×	×	○ <sup>24</sup>	×	×				
DocuPrint CP205	○	×	×	×	×	×	×	×	×	×	×	×	×	○	×	×	×	×	×	×	×	×	×	×	×	×	×	○ <sup>24</sup>	×	×	○ <sup>24</sup>	×	×	○ <sup>24</sup>	×	×				
DocuPrint CP205 w	○	×	×	×	×	×	×	×	×	×	×	×	×	○	×	×	×	×	×	×	×	×	×	×	×	×	×	○ <sup>24</sup>	×	×	○ <sup>24</sup>	×	×	○ <sup>24</sup>	×	×				
DocuPrint C3290 FS	○	×	×	×	×	×	×	×	×	×	×	×	×	○	×	×	×	×	×	×	×	×	×	×	×	×	×	○ <sup>24</sup>	×	×	○ <sup>24</sup>	×	×	○ <sup>24</sup>	×	×				
DocuPrint CM115/118 w	○	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×			
DocuPrint CM225/228 fw	○	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×			
DocuPrint CP115/118 w	○	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×			
DocuPrint CP116/119 w	○	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×			
DocuPrint CP225/228 w	○	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×			
DocuPrint CM315/318 z	○	×	×	×	×	×	×	×	×	×	×	×	×	○ <sup>29</sup>	×	×	×	×	×	×	×	×	×	×	×	×	×	○ <sup>24</sup>	×	×	○ <sup>24</sup>	×	×	○ <sup>24</sup>	×	×				
DocuPrint CP315/318 dw	○	×	×	×	×	×	×	×	×	×	×	×	×	○ <sup>30</sup>	×	×	×	×	×	×	×	×	×	×	×	×	×	○ <sup>24</sup>	×	×	○ <sup>24</sup>	×	×	○ <sup>24</sup>	×	×				
<b>Black &amp; White Laser Printers</b>																																								
DocuPrint 4405 d/3505 d/3205 d	○	○	×	×	×	×	○	×	○	○	○	×	×	○	×	○	○	×	○	×	○	×	○	×	×	×	○	×	×	○ <sup>24</sup>	○ <sup>25</sup>	×	○ <sup>24</sup>	○ <sup>25</sup>	×	○ <sup>24</sup>	○ <sup>25</sup>	×		
DocuPrint 4408 d/3508 d/3208 d	○	○	×	×	×	×	○	×	○	○	○	×	×	○	×	○	○	×	○	×	○	×	○	×	×	×	○	×	×	○ <sup>24</sup>	○ <sup>25</sup>	×	○ <sup>24</sup>	○ <sup>25</sup>	×	○ <sup>24</sup>	○ <sup>25</sup>	×		
DocuPrint 5105 d	○	○	×	×	×	×	○	×	○	○	○	×	×	○	×	○	○	×	○	×	○	×	○	×	×	×	○	×	×	○ <sup>24</sup>	○ <sup>25</sup>	×	○ <sup>24</sup>	○ <sup>25</sup>	×	○ <sup>24</sup>	○ <sup>25</sup>	×		
DocuPrint M465 AP	○	○	○	○	○	○	○	○	○	○	○	○	×	○	○	○	○	○	○	○	○	×	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	×	
DocuPrint 3105	○	○	×	×	×	×	×	×	○	○	○	×	×	○	×	×	○	×	○	×	○	×	○	×	×	×	○	×	×	○ <sup>24</sup>	○ <sup>25</sup>	×	○ <sup>24</sup>	○ <sup>25</sup>	×	○ <sup>24</sup>	○ <sup>25</sup>	×		
DocuPrint 305/255/205	○	×	×	×	×	×	×	×	×	×	×	×	×	○	×	×	×	×	×	×	×	×	×	×	×	×	×	○ <sup>24</sup>	×	×	○ <sup>24</sup>	×	×	○ <sup>24</sup>	×	×				
DocuPrint 340A/240A	○	×	×	×	×	×	×	×	×	×	×	×	×	○	×	×	×	×	×	×	×	×	×	×	×	×	×	○ <sup>24</sup>	×	×	○ <sup>24</sup>	×	×	○ <sup>24</sup>	×	×				
DocuPrint M455 df	○	×	×	×	×	×	×	×	×	×	×	×	×	○	×	×	○	×	×	×	×	○	○	×	×	×	×	○ <sup>24</sup>	○	×	○ <sup>24</sup>	○	×	○ <sup>24</sup>	○	×				
DocuPrint P455 d	○	×	×	×	×	×	×	×	×	×	×	×	×	○	×	×	○	×	×	×	×	○	○	×	×	×	×	○ <sup>24</sup>	○ <sup>25</sup>	×	○ <sup>24</sup>	○ <sup>25</sup>	×	○ <sup>24</sup>	○ <sup>25</sup>	×				
DocuPrint M355 df	○	×	×	×	×	×	×	×	×	×	×	×	×	○	×	×	×	×	×	×	×	×	×	×	×	×	×	○ <sup>24</sup>	×	×	○ <sup>24</sup>	×	×	○ <sup>24</sup>	×	×				
DocuPrint P355 d	○	×	×	×	×	×	×	×	×	×	×	×	×	○	×	×	×	×	×	×	×	×	×	×	×	×	×	○ <sup>24</sup>	×	×	○ <sup>24</sup>	×	×	○ <sup>24</sup>	×	×				
4127 Enterprise Printing System	○	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×			
D136 Printer	○	○	○	○	○	○	×	×	○	○	○	○	×	○	○	○	○	○	○	○	○	×	○	○	○	○	×	○	○ <sup>24</sup>	○ <sup>25</sup>	×	○ <sup>24</sup>	○ <sup>25</sup>	×	○ <sup>24</sup>	○ <sup>25</sup>	×			
D125/D110 Printer	○	○	○	○	○	○	×	×	○	○	○	○	×	○	○	○	○	○	○	○	○	×	○	○	○	○	×	○	○ <sup>24</sup>	○ <sup>25</sup>	×	○ <sup>24</sup>	○ <sup>25</sup>	×	○ <sup>24</sup>	○ <sup>25</sup>	×			

## 【Note】

- \*1 Status monitoring can be performed for devices that conform to RFC1759.
- \*2 Unable to use Internet Fax(SIP).
- \*3 Controller ROM 2.100.3 and above is ○
- \*4 Controller ROM 1.121.14 and above or 1.122.18 and above is ○
- \*5 Controller ROM 1.104.1 and above is ○
- \*6 Controller ROM 1.180.4 and above is ○
- \*7 Controller ROM 1.180.2 and above is ○
- \*8 Controller ROM 1.103.x and above is ○
- \*9 Controller ROM 1.100.1 and above is ○
- \*10 Printer-related features cannot be used.
- \*11 1.1.0.1 or later is required to use ApeosWare Print Management.
- \*12 Controller ROM 1.101.20 and above is ○
- \*13 Controller ROM 3.120.13 and above is ○
- \*14 Controller ROM 1.120.40 and above is ○
- \*15 Controller ROM 1.103.13 and above is ○
- \*16 Only PCL driver is supported (Mini driver is not supported.)
- \*17 Controller ROM 1.3.04 and above is ○
- \*18 Controller ROM 1.101.12 and above is ○
- \*19 Controller ROM 1.0.25 and above is ○
- \*20 Controller ROM 2.0.0 and above is ○
- \*21 Print via print-server cannot be used.
- \*22 OCR feature cannot be used.
- \*23 You will need Network Scanner Utility 2 to retrieve document.
- \*24 You cannot select account. Cost is reduced from the default account.
- \*25 An Option may be required according to type or model.
- \*26 Available only in Direct Print mode via ApeosWare Management Suite 2 and print feature using On Demand Print Terminal.  
For a print job that has reached the minimum balance when printing, the print job is canceled in the case of Direct Print mode, and printing cannot be started on the On Demand Print Terminal.  
However, "On Demand Print Terminal" option must be available to use it. "On Demand Print Terminal" is an option for the Japanese domestic market.
- \*27 Authentication Controller cannot be available. Please use the optional IC Card reader.
- \*28 Controller ROM Ver.201802150951 and above is ○
- \*29 Controller ROM Ver.201802270653 and above is ○
- \*30 Controller ROM Ver.201802270642 and above is ○
- \*31 HDD required

For this software, CentreWare Internet Services and device configuration reports, the following models will be recorded as "Fuji Xerox 4112" or "Fuji Xerox 4127".

4112  
4112 Light Publisher  
4127 Light Publisher

For this software, CentreWare Internet Services and device configuration reports, the following models will be recorded as "Fuji Xerox D95", "Fuji Xerox D110", "Fuji Xerox D125" or "Fuji Xerox D136".

D95  
D110  
D110 Light Publisher  
D125 Light Publisher  
D136

You can check the device's Controller ROM version on its control panel.

Click the [Machine Status] button, select [General Information] on the [Machine Information] screen and check [Software Version].

You can also check the version on the printed device configuration reports

For devices with "Large Color Control Panel", the Controller ROM version displayed with the above methods will be displayed as follows.

- Display on Device: 1.120.xx -> 1.100
- Display on Device: 1.121.xx -> 1.101
- Display on Device: 1.122.xx -> 1.102

When [Local Authentication/Local Accounting (Local Authentication)] or [Local Authentication/Network Accounting (Network Authentication)] is selected in administration site settings for the following models, the Card ID of the smart card can be specified in [Alternate Authentication ID] of User Information.

To check the card information of the smart card against the User ID of the device, device configuration is required. Refer to the device manual for details.

- ApeosPort-V C7775/C6675/C5575/C4475/C3375/C3373/C2275
- ApeosPort-V C7780/C6680/C5580
- ApeosPort-IV C5575/C4475/C3375/C3373/C2275
- ApeosPort-IV 7080/6080
- ApeosPort-IV 5070/4070/3070
- ApeosPort-IV C7780/C6680/C5580
- ApeosPort-IV C4430
- ApeosPort-IV C5570/C4470/C3370/C3371/C2270 ※1
- ApeosPort-III C7600/C6500/C5500 ※2
- Fuji Xerox D136
- Fuji Xerox D95/D110/D125
- Fuji Xerox 4112 / 4127 (ControllerROM Ver 1.10) ※3
- DocuCentre-V C7775/C6675/C5575/C4475/C3375/C3373/C2275
- DocuCentre-V C7780/C6680/C5580
- DocuCentre-IV C2265/C2263
- DocuCentre-IV C5575/C4475/C3375/C3373/C2275
- DocuCentre-IV 7080/6080
- DocuCentre-IV 5070/4070
- DocuCentre-IV 3065/3060/2060
- DocuCentre-IV C7780/C6680/C5580
- DocuCentre-IV C4430
- DocuColor 1450 GA
- DocuCentre-IV C5570/C4470/C3370/C3371/C2270 ※1
- DocuCentre-IV C2260 ※4
- DocuCentre-III C7600/C6500/C5500 ※2
- DocuPrint 3105
- DocuPrint CM505 da
- DocuPrint C5005 d

The versions supported by [Local Authentication/Network Accounting (Network Authentication)] are as follow:

- ※1 Controller ROM 1.101.15 and above
- ※2 Controller ROM 3.120.9 and above
- ※3 Controller ROM 1.111.6 and above
- ※4 Controller ROM 1.120.31 and above

When [Remote Authentication] is selected for administration site settings, the versions of the devices supported in ApeosWare Authentication Management are as follows.

- ApeosPort-IV C5570/C4470/C3370/C3371/C2270 ※1
- ApeosPort-III C7600/C6500/C5500 ※2
- ApeosPort-III C4400 ※3
- ApeosPort-III C3300/C2200/C2201 ※4
- Fuji Xerox 4112 / 4127 (Controller ROM Ver 1.10) ※5
- DocuPrint C2255 ※6

- ※1 Controller ROM 1.103.4 or below
- ※2 Controller ROM 3.120.9 or below
- ※3 Controller ROM 1.121.111 or below
- ※4 Controller ROM 1.120.111 or below
- ※5 Controller ROM 1.111.6 or below
- ※6 Controller ROM 1.100.26 or below